



Two cases of human urinary tract infection complicated by hemolytic uremic syndrome caused by verotoxin-producing *Escherichia coli*.

<https://arctichealth.org/en/permalink/ahliterature58713>

Author: F. Scheutz
B. Olesen
A. Nørgaard

Author Affiliation: The International Escherichia and Klebsiella Centre (World Health Organization), Department of Gastrointestinal Infections, Statens Serum Institut, Copenhagen, Denmark. fsc@ssi.dk

Source: Clin Infect Dis. 2000 Sep;31(3):815-6

Date: Sep-2000

Language: English

Publication Type: Article

Keywords: Escherichia coli - isolation & purification - metabolism
Escherichia coli Infections - complications - microbiology
Hemolytic-Uremic Syndrome - complications - microbiology
Humans
Infant, Newborn
Male
Shiga Toxins - biosynthesis
Urinary Tract Infections - complications - microbiology

Abstract: In 1993, 2 cases of urinary tract infection (UTI) caused by verotoxin-producing *Escherichia coli* were diagnosed at Rigshospitalet in Copenhagen, Denmark. Neither of the patients had any previous history of diarrhea. We suggest that *E. coli* strains isolated from UTI be examined for the production of verotoxin when hemolytic uremic syndrome is clinically suspected.

PubMed ID: 11017837 [View in PubMed](#) 